

L Number	Hits	Search Text	DB	Time stamp
-	1	(password near startup) and (keyboard near display) and (key near layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 12:59
-	4	(password near startup) and (keyboard near display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:17
-	12	(password near start\$2) and (keyboard near display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:57
-	69	345/773	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:20
-	49	345/773 and keyboard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:21
-	4	(345/773 and keyboard) and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:41
-	20798	key and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:41
-	85	(key and password) and (password near start\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:42
-	57	((key and password) and (password near start\$2)) and (keyboard "key board")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:58
-	117	(345/741 345/742 345/743) and (password key lock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 07:28
-	73	((345/741 345/742 345/743) and (password key lock)) and (keypad keyboard "touch screen")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 08:16
-	312	(key near (layout position)) and (password logon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 08:16
-	319	(key near (layout position)) and (password logon login)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 08:17
-	269	(key near (layout position)) and (password logon login) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 08:17

-	168	((key near (layout position)) and (password logon login) and display) and (board pad matrix)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:03
-	831	399/81	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:03
-	67	399/182	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:04
-	34	399/182.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:13
-	3742	"operation screen"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:14
-	231	"operation screen" and ((customize set) near (position size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:14
-	217	("operation screen" and ((customize set) near (position size))) and (image text data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:14
-	77	((("operation screen" and ((customize set) near (position size))) and (image text data)) and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:15
-	74	((("operation screen" and ((customize set) near (position size))) and (image text data)) and printer) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:15
-	26	((("operation screen" and ((customize set) near (position size))) and (image text data)) and printer) and display) and remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:33
-	6797	(remote near (control terminal)) and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:33
-	578	((remote near (control terminal)) and printer) and (customize ((set choose place) near2 (postion size)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:36
-	493	((remote near (control terminal)) and printer) and (customize ((set choose place) near2 (postion size))) and creat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:37
-	8	((remote near (control terminal)) and printer) and (customize ((set choose place) near2 (postion size))) and creat\$3) and "operation screen"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:37

-	8	(((((remote near (control terminal)) and printer) and (customize ((set choose place) near2 (postion size)))) and creat\$3) and ("operation screen" "operation menu"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:38
-	477	(((((remote near (control terminal)) and printer) and (customize ((set choose place) near2 (postion size)))) and creat\$3) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:41
-	106	(345/773 345/741).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:19
-	82	((345/773 345/741).ccls.) and (password login logon "ID" identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:20
-	1	(345/773 345/741) and (keyboard near (hide conceal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:46
-	40	(keyboard near (hide conceal))	USPAT	2003/12/09 12:47
-	12	("4479112" "4567480" "4672677" "4752965" "4857914" "4962530" "4970655" "4972496" "5008847" "5025255" "5050116" "5161190").PN.	USPAT	2003/12/09 15:53
-	4179	(345/773 345/168 345/173 345/158).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:22
-	1	((345/773 345/168 345/173 345/158).ccls.) and ((determin\$3 decipher\$3 display\$3 set\$4) with (language) with (keyboard "key-board" "key board" keypad "key-pad" "key pad") with (position layout) with (key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:28
-	14	((345/773 345/168 345/173 345/158).ccls.) and ((language) with (keyboard "key-board" "key board" keypad "key-pad" "key pad") with (position layout) with (key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:57
-	22	((345/773 345/168 345/173 345/158).ccls.) and ((language) with (keyboard "key-board" "key board" keypad "key-pad" "key pad" key) with (position layout))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:04
-	8	((345/773 345/168 345/173 345/158).ccls.) and ((language) with (keyboard "key-board" "key board" keypad "key-pad" "key pad" key) with (position layout)) not (((345/773 345/168 345/173 345/158).ccls.) and ((language) with (keyboard "key-board" "key board" keypad "key-pad" "key pad") with (position layout) with (key)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:58
-	16	((345/773 345/168 345/173 345/158).ccls.) and ((determin\$3 decipher\$3 display\$3) with (language layout) with (keyboard "key-board" "key board" keypad "key-pad" "key pad" key) with (user) with (input initiat\$3 touch position))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:05

-	14	((((345/773 345/168 345/173 345/158).ccls.) and ((determin\$3 decipher\$3 display\$3) with (language layout) with (keyboard "key-board" "key board" keypad "key-pad" "key pad" key) with (user) with (input initiat\$3 touch position))) not (((345/773 345/168 345/173 345/158).ccls.) and ((language) with (keyboard "key-board" "key board" keypad "key-pad" "key pad" key) with (position layout))) (((345/773 345/168 345/173 345/158).ccls.) and ((language) with (keyboard "key-board" "key board" keypad "key-pad" "key pad" key) with (position layout))) not (((345/773 345/168 345/173 345/158).ccls.) and ((language) with (keyboard "key-board" "key board" keypad "key-pad" "key pad" key) with (position layout) with (key)))) ("5949348" "5161190" "5251096" "4479112" "4857914").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:06
-	10		USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 14:16
-	2221	(345/771 345/168 345/171 345/172).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:00
-	19	((345/771 345/168 345/171 345/172).ccls.) and ((prompt\$3 ask\$3 input\$4) with (user) with (key letter symbol number) with (mechanical physical) with (keyboard "key board" "key-board"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:26
-	9	((((345/771 345/168 345/171 345/172).ccls.) and ((prompt\$3 ask\$3 input\$4) with (user) with (key letter symbol number) with (mechanical physical) with (keyboard "key board" "key-board")) and (identif\$7 display\$3 associat\$3 correlat\$3) with (layout "lay-out" "lay out" language arrangement) with (key keyboard key-board "key board" "keypad" "key pad" "key-pad"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:03
-	9	((((345/771 345/168 345/171 345/172).ccls.) and ((prompt\$3 ask\$3 input\$4) with (user) with (key letter symbol number) with (mechanical physical) with (keyboard "key board" "key-board")) and ((identif\$7 display\$3 associat\$3 correlat\$3) with (layout "lay-out" "lay out" language arrangement) with (key keyboard key-board "key board" "keypad" "key pad" "key-pad"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:03
-	7	((345/771 345/168 345/171 345/172).ccls.) and (identif\$7 display\$7 associat\$3 correlat\$3)with (key letter symbol number) with (layout "lay out" "lay-out" type) with (physical actual mechanical) with (keyboard "key-board" "key board")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:34
-	2	(identif\$7 display\$7 associat\$3 correlat\$3)with (position location coordinate) with (key letter symbol number) with (physical actual mechanical) with (keyboard "key-board" "key board") with (layout "lay-out" "lay out")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:38
-	41	(position location coordinate) with (key letter symbol number) with (physical actual mechanical) with (keyboard "key-board" "key board") with (layout "lay-out" "lay out" type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:39

-	15	((position location coordinate) with (key letter symbol number) with (physical actual mechanical) with (keyboard "key-board" "key board") with (layout "lay-out" "lay out" type)) and (display\$3 with (keypad "key-pad" "key pad" "keyboard" "key-board" "key board" layout "lay-out" "lay out") with (touch\$9 screen display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:41
-	1267	(location position coordinate co-ordinate) with (key) with (layout lay-out "lay out" language function) with (keyboard "key board" "keypad" "key pad" "key-pad" "key-board")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 13:59
-	228	(location position coordinate co-ordinate) with (key) with (layout lay-out "lay out" language) with (keyboard "key board" "keypad" "key pad" "key-pad" "key-board")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 14:05
-	19	((location position coordinate co-ordinate) with (key) with (layout lay-out "lay out" language) with (keyboard "key board" "keypad" "key pad" "key-pad" "key-board")) and (display\$3 with (layout "lay-out" "lay out") with (touchscreen "touch-screen" "touch screen" screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 14:05
-	3	"6492978" "6714220" "20020085038"	USPAT; US-PGPUB	2004/09/12 12:29
-	3549	(345/780 345/173 345/172 345/771 345/171 345/168).ccls.	USPAT; US-PGPUB	2004/09/12 12:30
-	29	((345/780 345/173 345/172 345/771 345/171 345/168).ccls.) and (prompt\$3 with (user) with (input\$4 press\$3 select\$3 choos\$3) with (key))	USPAT; US-PGPUB	2004/09/12 12:31
-	22	((345/780 345/173 345/172 345/771 345/171 345/168).ccls.) and (prompt\$3 with (user) with (input\$4 press\$3 select\$3 choos\$3) with (key))) and (display\$3 with (keypad key-pad "key pad" "key-board" keyboard "key board" layout lay-out "lay out"))	USPAT; US-PGPUB	2004/09/13 09:45
-	1	((345/780 345/173 345/172 345/771 345/171 345/168).ccls.) and (prompt\$3 with (user) with (input\$4 press\$3 select\$3 choos\$3) with (key))) and (display\$3 with (keypad key-pad "key pad" "key-board" keyboard "key board" layout lay-out "lay out") with (touchscreen "touch-screen" "touch screen"))	USPAT; US-PGPUB	2004/09/13 09:47
-	9	((345/780 345/173 345/172 345/771 345/171 345/168).ccls.) and (prompt\$3 with (user) with (input\$4 press\$3 select\$3 choos\$3 depress\$3 de-press\$3) with (key))) and (display\$3 with (keypad key-pad "key pad" "key-board" keyboard "key board" layout lay-out "lay out") and (touchscreen "touch-screen" "touch screen"))	USPAT; US-PGPUB	2004/09/13 09:48